

# Latest infection status, etc. (1)

## ○Trends in the number of new cases of infection

(Per 100,000 of the population)

	6/9~6/15			6/16~6/22			6/23~6/29		
Nationwide	9.41	(11,876)	↓	7.91	(9,976)	↓	8.25	(10,412)	↑
Hokkaido	16.65	(874)	↓	8.15	(428)	↓	4.44	(233)	↓
Saitama	7.85	(577)	↓	7.17	(527)	↓	8.87	(652)	↑
Chiba	10.91	(683)	↓	12.03	(753)	↑	13.02	(815)	↑
Tokyo	18.90	(2,631)	↓	20.41	(2,841)	↑	24.88	(3,464)	↑
Kanagawa	14.45	(1,329)	↓	13.79	(1,268)	↓	15.46	(1,422)	↑
Aichi	12.39	(936)	↓	8.20	(619)	↓	5.26	(397)	↓
Kyoto	8.48	(219)	↓	3.99	(103)	↓	3.72	(96)	↓
Osaka	9.35	(824)	↓	7.36	(648)	↓	7.79	(686)	↑
Hyogo	5.25	(287)	↓	3.44	(188)	↓	2.52	(138)	↓
Fukuoka	6.03	(308)	↓	4.76	(243)	↓	4.17	(213)	↓
Okinawa	62.42	(907)	↓	40.40	(587)	↓	33.31	(484)	↓

## ○Trends in the testing system

(No. of tests, positive rate)

	5/31~6/6			6/7~6/13			6/14~6/20					
Nationwide	488,963	↓	3.6%	↓	507,487	↑	2.5%	↓	484,833	↓	2.1%	↓
Hokkaido	21,926	↓	8.3%	↓	18,085	↓	5.4%	↓	17,776	↓	4.9%	↓
Saitama	50,477	↓	1.5%	↓	49,471	↓	1.2%	↓	50,389	↑	1.1%	↓
Chiba	18,032	↓	3.8%	↑	31,305	↑	2.1%	↓	28,706	↓	2.4%	↑
Tokyo	99,050	↑	3.0%	↓	105,266	↑	2.6%	↓	113,884	↑	2.3%	↓
Kanagawa	20,595	↓	7.0%	↓	23,997	↑	5.8%	↓	25,526	↑	5.2%	↓
Aichi	16,428	↓	10.2%	↓	15,855	↓	6.7%	↓	12,440	↓	7.5%	↑
Kyoto	7,213	↓	4.2%	↓	7,859	↑	3.1%	↓	6,323	↓	3.5%	↑
Osaka	45,396	↓	2.7%	↓	53,970	↑	1.7%	↓	49,769	↓	1.7%	↓
Hyogo	14,377	↓	3.7%	↓	15,201	↑	2.1%	↓	15,013	↓	1.9%	↓
Fukuoka	16,536	↓	3.7%	↓	16,041	↓	2.1%	↓	13,164	↓	2.3%	↑
Okinawa	15,708	↑	10.2%	↓	15,961	↑	6.3%	↓	13,863	↓	6.5%	↑

\* ↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.

# Latest infection status, etc. (2)

## ○Trends in the numbers of inpatients

[No. of inpatients (Ratio to the no. of secured beds)]

	6/8	6/15	6/22
Nationwide	11,751 (33.0%) ↓	9,092 (25.5%) ↓	7,277 (20.3%) ↓
Hokkaido	1,028 (51.9%) ↓	903 (43.2%) ↓	747 (35.8%) ↓
Saitama	493 (30.0%) ↓	393 (23.9%) ↓	307 (18.5%) ↓
Chiba	345 (27.3%) ↑	327 (25.7%) ↓	320 (25.1%) ↓
Tokyo	1,592 (26.3%) ↓	1,312 (21.7%) ↓	1,263 (20.9%) ↓
Kanagawa	542 (30.3%) ↓	497 (27.8%) ↓	455 (25.4%) ↓
Aichi	853 (56.3%) ↓	689 (45.5%) ↓	505 (33.3%) ↓
Kyoto	192 (38.6%) ↓	165 (33.1%) ↓	102 (20.5%) ↓
Osaka	1,067 (39.6%) ↓	808 (29.9%) ↓	597 (22.0%) ↓
Hyogo	452 (39.3%) ↓	302 (26.2%) ↓	200 (17.4%) ↓
Fukuoka	753 (55.0%) ↓	437 (31.8%) ↓	274 (19.5%) ↓
Okinawa	623 (88.7%) ↑	609 (88.8%) ↓	511 (71.5%) ↓

## ○Trends in the numbers of severe patients


[No. of inpatients (Ratio to the no. of secured beds)]

	6/8	6/15	6/22
Nationwide	1,359 (28.0%) ↓	1,131 (23.9%) ↓	943 (19.1%) ↓
Hokkaido	39 (26.9%) ↓	32 (21.2%) ↓	24 (15.9%) ↓
Saitama	40 (24.5%) ↓	30 (18.3%) ↓	23 (14.0%) ↓
Chiba	21 (20.8%) ↑	21 (20.8%) →	17 (16.8%) ↓
Tokyo	424 (35.1%) ↓	353 (29.2%) ↓	344 (28.5%) ↓
Kanagawa	60 (30.2%) ↓	43 (21.6%) ↓	37 (18.6%) ↓
Aichi	92 (63.0%) ↓	74 (50.7%) ↓	43 (29.5%) ↓
Kyoto	19 (22.1%) ↓	19 (22.1%) →	15 (17.4%) ↓
Osaka	251 (31.3%) ↓	240 (28.7%) ↓	194 (23.1%) ↓
Hyogo	66 (48.5%) ↓	37 (27.2%) ↓	28 (20.6%) ↓
Fukuoka	54 (28.9%) ↓	43 (22.8%) ↓	25 (12.4%) ↓
Okinawa	80 (81.6%) ↓	75 (79.8%) ↓	64 (69.6%) ↓


\* "Trends in the numbers of inpatients" are based on the "Surveillance of the Status of Care for Patients with the Novel Coronavirus Infection and the Number of Beds," by the Ministry of Health, Labour and Welfare. In this surveillance, the results as of 0:00 on the presentation date are published.

↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) The use rate of beds



(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021




(Source) ADB Material, dated June 30, 2021


(1) No. of new cases of infection reported



(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021




(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021




(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated June 30, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) The use rate of beds




(6) No. of patients receiving treatment







(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds



(6) No. of patients receiving treatment



(Source) ADB Material, dated June 30, 2021