

Latest infection status, etc. (1)

○ Trends in the number of new cases of infection

(Per 100,000 of the population)

	7/7~7/13			7/14~7/20			7/21~7/27		
Nationwide	11.90	(15,020)	↑	18.25	(23,022)	↑	28.05	(35,388)	↑
Hokkaido	7.73	(406)	↑	11.90	(625)	↑	16.06	(843)	↑
Saitama	14.42	(1,060)	↑	26.93	(1,979)	↑	42.57	(3,129)	↑
Chiba	19.17	(1,200)	↑	26.67	(1,669)	↑	39.51	(2,473)	↑
Tokyo	39.75	(5,534)	↑	59.33	(8,260)	↑	88.63	(12,338)	↑
Kanagawa	24.07	(2,214)	↑	33.20	(3,054)	↑	45.44	(4,180)	↑
Aichi	5.83	(440)	↑	6.77	(511)	↑	9.88	(746)	↑
Kyoto	6.39	(165)	↑	11.11	(287)	↑	18.97	(490)	↑
Osaka	12.65	(1,114)	↑	23.91	(2,106)	↑	36.33	(3,200)	↑
Hyogo	5.67	(310)	↑	10.98	(600)	↑	15.99	(874)	↑
Fukuoka	6.41	(327)	↑	9.78	(499)	↑	21.47	(1,096)	↑
Okinawa	23.06	(335)	↓	38.47	(559)	↑	82.59	(1,200)	↑

○ Trends in the testing system

(No. of tests, positive rate)

	6/28~7/4			7/5~7/11			7/12~7/18		
Nationwide	448,871	2.5%	↓	422,933	3.3%	↑	444,500	4.7%	↑
Hokkaido	12,862	1.7%	↑	16,180	2.2%	↑	16,282	3.4%	↑
Saitama	52,847	1.4%	↓	35,962	2.7%	↑	57,796	3.0%	↑
Chiba	19,556	4.9%	↑	17,003	6.8%	↑	15,841	9.7%	↑
Tokyo	123,157	3.3%	↓	107,768	4.8%	↑	100,845	7.4%	↑
Kanagawa	24,291	6.2%	↓	25,626	7.8%	↑	22,964	12.2%	↑
Aichi	9,872	3.3%	↑	11,084	3.6%	↑	10,024	4.9%	↑
Kyoto	6,030	1.9%	↑	5,949	2.6%	↑	6,576	3.9%	↑
Osaka	42,849	1.7%	↑	52,638	1.9%	↑	46,845	4.1%	↑
Hyogo	12,715	1.3%	↑	9,285	2.8%	↑	10,371	5.1%	↑
Fukuoka	11,983	1.7%	↑	12,764	2.3%	↑	14,326	3.2%	↑
Okinawa	13,053	3.1%	↓	12,330	2.7%	↓	14,195	3.3%	↑

* ↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.

Latest infection status, etc. (2)

○ Trends in the numbers of inpatients

[No. of inpatients (Ratio to the no. of secured beds)]

	7/6	7/13	7/20
Nationwide	5,868 (16.4%) ↓	6,513 (18.1%) ↑	8,139 (22.3%) ↑
Hokkaido	333 (15.9%) ↓	289 (14.5%) ↓	285 (14.3%) ↓
Saitama	338 (20.3%) ↑	457 (27.4%) ↑	659 (39.6%) ↑
Chiba	368 (28.9%) ↑	439 (34.4%) ↑	536 (42.0%) ↑
Tokyo	1,671 (27.6%) ↑	2,011 (31.8%) ↑	2,456 (38.3%) ↑
Kanagawa	416 (23.2%) ↓	544 (30.4%) ↑	619 (34.6%) ↑
Aichi	222 (14.7%) ↓	178 (11.7%) ↓	212 (14.0%) ↑
Kyoto	49 (9.8%) ↓	68 (13.7%) ↑	122 (24.5%) ↑
Osaka	437 (15.3%) ↓	471 (16.5%) ↑	628 (20.3%) ↑
Hyogo	148 (12.9%) ↑	147 (12.1%) ↓	256 (21.1%) ↑
Fukuoka	137 (9.7%) ↓	143 (10.1%) ↑	181 (12.8%) ↑
Okinawa	297 (41.7%) ↓	253 (36.2%) ↓	233 (33.0%) ↓

○ Trends in the numbers of severe patients


[No. of inpatients (Ratio to the no. of secured beds)]

	7/6	7/13	7/20
Nationwide	856 (17.2%) ↓	880 (17.7%) ↑	995 (18.9%) ↑
Hokkaido	18 (11.9%) ↓	11 (7.4%) ↓	8 (5.4%) ↓
Saitama	21 (12.7%) ↑	26 (15.8%) ↑	28 (17.0%) ↑
Chiba	16 (15.8%) ↓	16 (15.8%) →	18 (17.8%) ↑
Tokyo	467 (38.7%) ↑	538 (44.6%) ↑	637 (52.8%) ↑
Kanagawa	32 (16.1%) ↓	38 (19.1%) ↑	40 (20.1%) ↑
Aichi	12 (8.2%) ↓	13 (8.9%) ↑	10 (6.8%) ↓
Kyoto	5 (5.8%) ↓	4 (4.7%) ↓	6 (7.0%) ↑
Osaka	134 (14.5%) ↓	108 (11.7%) ↓	135 (11.2%) ↑
Hyogo	16 (11.8%) →	15 (10.9%) ↓	13 (9.5%) ↓
Fukuoka	13 (6.5%) →	9 (4.5%) ↓	8 (4.0%) ↓
Okinawa	46 (62.2%) ↓	40 (61.5%) ↓	40 (64.5%) →


* “Trends in the numbers of inpatients” are based on the “Surveillance of the Status of Care for Patients with the Novel Coronavirus Infection and the Number of Beds,” by the Ministry of Health, Labour and Welfare. In this surveillance, the results as of 0:00 on the presentation date are published.

↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of infections of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 people)/Percentage of unlinked cases



(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) The use rate of beds




(6) No. of patients receiving treatment




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) The use rate of beds




(6) No. of patients receiving treatment




(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated July 28, 2021


(1) No. of new cases of infections reported




(2) No. of new cases of infections (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status



(4) No. of inpatients/No. of severe patients



(5) The use rate of beds



(6) No. of patients receiving treatment

