

Latest infection status, etc. (1)

○Trends in the number of new cases of infection

(Per 100,000 of the population)

	8/26~9/1			9/2~9/8			9/9~9/15		
Nationwide	112.97	(142,525)	↓	75.31	(95,017)	↓	41.58	(52,466)	↓
Hokkaido	49.98	(2,624)	↓	27.56	(1,447)	↓	15.03	(789)	↓
Saitama	130.73	(9,609)	↓	79.02	(5,808)	↓	51.80	(3,807)	↓
Chiba	146.35	(9,160)	↓	(103.90)	(6,503)	↓	45.79	(2,866)	↓
Tokyo	169.42	(23,585)	↓	102.61	(14,284)	↓	56.92	(7,924)	↓
Kanagawa	165.42	15,215	↓	101.00	(9,290)	↓	50.73	(4,666)	↓
Aichi	168.88	(12,754)	↑	(136.20)	(10,286)	↓	77.15	(5,826)	↓
Kyoto	134.11	(3,464)	↓	97.75	(2,525)	↓	48.35	(1,249)	↓
Osaka	200.14	(17,630)	↑	153.98	(13,564)	↓	88.11	(7,762)	↓
Hyogo	118.94	(6,501)	↓	93.36	(5,103)	↓	57.04	(3,118)	↓
Fukuoka	121.96	(6,225)	↓	81.72	(4,171)	↓	42.16	(2,152)	↓
Okinawa	268.62	(3,903)	↓	203.72	(2,960)	↓	127.94	(1,859)	↓

○Trends in the testing system

(No. of tests, positive rate)

	8/16~8/22		8/23~8/29		8/30~9/5	
Nationwide	851,106↑	18.5%↑	863,786↑	17.8%↓	786,471↓	14.6%↓
Hokkaido	34,591↑	10.3%↓	38,933↑	8.0%↓	31,640↓	6.1%↓
Saitama	61,025↑	19.6%↓	59,421↓	17.8%↓	52,506↓	13.8%↓
Chiba	32,478↑	33.3%↑	32,187↓	30.5%↓	29,249↓	27.4%↓
Tokyo	171,066↑	19.4%↓	126,648↓	20.9%↑	123,093↓	14.5%↓
Kanagawa	43,262↑	39.5%↓	44,062↑	38.3%↓	37,182↓	31.4%↓
Aichi	32,681↑	24.4%↑	42,422↑	28.9%↑	37,194↓	31.1%↑
Kyoto	16,747↑	19.1%↑	19,223↑	18.9%↓	19,197↓	15.2%↓
Osaka	91,327↑	16.3%↑	94,680↑	18.4%↑	100,587↑	15.8%↓
Hyogo	25,363↑	25.2%↑	28,698↑	23.5%↓	25,005↓	23.0%↓
Fukuoka	32,621↑	22.1%↓	33,197↑	20.4%↓	31,931↓	15.9%↓
Okinawa	18,432↑	24.7%↓	15,890↓	28.0%↑	20,658↑	15.9%↓

* ↑, ↓, and → indicate increase, decrease, and the same level, respectively, compared to the preceding week.

Latest infection status, etc. (2)

○Trends in the numbers of inpatients

[No. of inpatients (Ratio to the no. of secured beds)]

	8/25	9/1	9/8
Nationwide	23,908 (61.6%) ↑	24,081 (61.1%) ↑	22,335 (55.5%) ↓
Hokkaido	872 (43.7%) ↑	913 (45.8%) ↑	737 (37.0%) ↓
Saitama	1,240 (68.6%) ↑	1,286 (70.2%) ↑	1,283 (69.3%) ↓
Chiba	1,082 (77.7%) ↑	1,027 (72.4%) ↓	915 (62.1%) ↓
Tokyo	4,112 (64.2%) ↑	4,156 (64.9%) ↑	3,954 (60.1%) ↓
Kanagawa	1,693 (77.2%) ↑	1,686 (80.4%) ↓	1,568 (69.6%) ↓
Aichi	719 (45.8%) ↑	895 (57.0%) ↑	1,010 (64.3%) ↑
Kyoto	435 (77.0%) ↑	466 (75.9%) ↑	480 (74.5%) ↑
Osaka	2,128 (67.4%) ↑	2,263 (70.9%) ↑	2,303 (70.1%) ↑
Hyogo	838 (67.7%) ↑	877 (70.9%) ↑	876 (70.8%) ↓
Fukuoka	989 (67.7%) ↑	934 (63.5%) ↓	874 (59.3%) ↓
Okinawa	715 (83.3%) ↑	703 (83.0%) ↓	687 (81.4%) ↓







○Trends in the numbers of severe patients

[No. of inpatients (Ratio to the no. of secured beds)]


	8/25	9/1	9/8
Nationwide	2,820 (49.9%) ↑	3,030 (53.3%) ↑	3,030 (52.8%) →
Hokkaido	16 (11.2%) ↓	15 (10.5%) ↓	26 (18.2%) ↑
Saitama	164 (74.9%) ↑	161 (68.5%) ↓	143 (60.6%) ↓
Chiba	114 (80.9%) →	115 (81.6%) ↑	112 (72.7%) ↓
Tokyo	1,135 (94.0%) ↑	1,169 (96.9%) ↑	1,091 (90.4%) ↓
Kanagawa	245 (82.8%) ↑	253 (91.3%) ↑	235 (81.0%) ↓
Aichi	40 (23.5%) ↑	62 (36.5%) ↑	97 (57.1%) ↑
Kyoto	104 (71.7%) ↑	97 (63.8%) ↓	87 (57.2%) ↓
Osaka	503 (41.0%) ↑	550 (44.6%) ↑	613 (49.6%) ↑
Hyogo	65 (45.8%) ↑	73 (51.4%) ↑	85 (59.9%) ↑
Fukuoka	34 (16.7%) ↑	40 (19.7%) ↑	36 (17.7%) ↓
Okinawa	109 (86.5%) ↑	116 (89.2%) ↑	130 (88.4%) ↑

* "Trends in the numbers of inpatients" are based on the "Surveillance of the Status of Care for Patients with the Novel Coronavirus Infection and the Number of Beds," by the Ministry of Health, Labour and Welfare. In this surveillance, the results as of 0:00 on the presentation date are published.


↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.




(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated September 16, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated September 16, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients




(5) The use rate of beds




(6) No. of patients receiving treatment




(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated September 16, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) The use rate of beds









(6) No. of patients receiving treatment




(Source) ADB Material, dated September 16, 2021




(Source) ADB Material, dated September 16, 2021




(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds




(6) No. of patients receiving treatment




(Source) ADB Material, dated September 16, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients









(5) The use rate of beds



(6) No. of patients receiving treatment




(Source) ADB Material, dated September 16, 2021




(Source) ADB Material, dated September 16, 2021


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) The use rate of beds



(6) No. of patients receiving treatment



(Source) ADB Material, dated September 16, 2021