

# Latest infection status, etc. (1)

## ○Trends in the numbers of new cases of infection

(Per 100,000 of the population)

	2/3~2/9			2/10~2/16			2/17~2/23		
Nationwide	514.53	(649,055)	↑	459.02	(579,041)	↓	426.11	(537,525)	↓
Hokkaido	459.61	(24,013)	↑	403.90	(21,102)	↓	340.18	(17,773)	↓
Saitama	551.24	(40,487)	↑	495.02	(36,358)	↓	491.19	(36,077)	↓
Chiba	549.50	(34,533)	↑	523.35	(32,890)	↓	475.74	(29,898)	↓
Tokyo	902.19	(126,736)	↑	751.59	(105,580)	↓	678.12	(95,259)	↓
Kanagawa	608.94	(56,250)	↑	571.21	(52,765)	↓	542.14	(50,079)	↓
Aichi	522.67	(39,422)	↑	543.59	(41,000)	↑	500.22	(37,729)	↓
Kyoto	697.69	(17,987)	↑	578.49	(14,914)	↓	530.24	(13,670)	↓
Osaka	1,021.53	(90,280)	↑	910.99	(80,510)	↓	830.32	(73,381)	↓
Hyogo	718.37	(39,259)	↑	611.53	(33,420)	↓	554.22	(30,288)	↓
Fukuoka	641.65	(32,950)	↑	548.49	(28,166)	↓	461.21	(23,684)	↓
Okinawa	288.59	(4,235)	↓	265.22	(3,892)	↓	293.16	(4,302)	↑

## ○Trends in the testing system

(Number of tests, positive rate)

	1/24~1/30		1/31~2/6		2/7~2/13	
Nationwide	1,314,229	↑ 38.7% ↑	1,073,516	↓ 59.0% ↑	952,399	↓ 63.2% ↑
Hokkaido	66,298	↑ 25.1% ↑	65,867	↓ 35.5% ↑	55,734	↓ 41.1% ↑
Saitama	66,855	↑ 41.0% ↑	61,106	↓ 60.2% ↑	52,355	↓ 73.0% ↑
Chiba	46,740	↑ 50.9% ↑	42,878	↓ 71.8% ↑	36,750	↓ 94.8% ↑
Tokyo	219,525	↑ 46.9% ↑	128,957	↓ 98.4% ↑	136,358	↑ 80.7% ↓
Kanagawa	47,913	↑ 86.6% ↑	42,558	↓ 130.9% ↑	36,514	↓ 151.7% ↑
Aichi	48,871	↑ 64.9% ↑	34,796	↓ 112.4% ↑	33,099	↓ 119.6% ↑
Kyoto	33,264	↑ 41.9% ↑	30,578	↓ 57.3% ↑	24,178	↓ 67.6% ↑
Osaka	131,337	↓ 52.1% ↑	110,270	↓ 81.7% ↑	106,351	↓ 78.2% ↓
Hyogo	46,927	↑ 58.0% ↑	39,137	↓ 95.1% ↑	38,008	↓ 94.4% ↓
Fukuoka	64,092	↑ 40.8% ↑	58,748	↓ 55.2% ↑	50,833	↓ 59.2% ↑
Okinawa	32,647	↓ 21.5% ↑	22,830	↓ 19.8% ↓	15,368	↓ 25.5% ↑

\* ↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.

\* The positive rate is calculated mechanically with the number of new positive tests (including patients with pseudo-symptoms) based on the publication date in each prefecture as the numerator, and the number of PCR tests (including tests at discharge) as the denominator. The results may exceed 100% due to the influence of delay in reporting the number of PCR tests, and attention should be paid to the interpretation of the results in other prefectures as well.

# Latest infection status, etc. (2)

## ○Trends in the numbers of inpatients

[No. of inpatients (Ratio to the no. of secured beds)]

	2/2		2/9		2/16	
Nationwide	21,184 (48.7%)	↑	23,740 (54.5%)	↑	25,623 (57.8%)	↑
Hokkaido	622 (30.1%)	↑	649 (31.4%)	↑	821 (39.8%)	↑
Saitama	1,098 (50.1%)	↑	1,259 (57.4%)	↑	1,689 (77.0%)	↑
Chiba	859 (50.6%)	↑	978 (58.6%)	↑	1,114 (66.6%)	↑
Tokyo	3,557 (51.4%)	↑	3,960 (57.2%)	↑	3,998 (57.8%)	↑
Kanagawa	1,262 (51.7%)	↑	1,668 (68.4%)	↑	1,726 (69.0%)	↑
Aichi	677 (40.6%)	↑	937 (56.2%)	↑	1,230 (65.1%)	↑
Kyoto	495 (55.5%)	↑	541 (60.7%)	↑	638 (71.5%)	↑
Osaka	2,588 (69.0%)	↑	3,090 (81.4%)	↑	3,238 (78.5%)	↑
Hyogo	946 (66.8%)	↑	1,042 (73.5%)	↑	1,079 (76.1%)	↑
Fukuoka	806 (51.7%)	↑	1,103 (70.8%)	↑	1,346 (86.4%)	↑
Okinawa	429 (66.6%)	↑	372 (58.2%)	↓	307 (47.7%)	↓

## ○Trends in the numbers of severe patients


[No. of inpatients (Ratio to the no. of secured beds)]

	2/2		2/9		2/16	
Nationwide	1,438 (24.6%)	↑	1,846 (31.6%)	↑	2,037 (34.3%)	↑
Hokkaido	1 (0.7%)	↑	5 (3.7%)	↑	7 (5.2%)	↑
Saitama	34 (13.8%)	↑	55 (22.3%)	↑	62 (25.1%)	↑
Chiba	10 (8.1%)	↑	20 (16.1%)	↑	31 (25.0%)	↑
Tokyo	540 (36.8%)	↑	618 (42.1%)	↑	669 (45.6%)	↑
Kanagawa	53 (25.2%)	↑	83 (39.5%)	↑	98 (36.3%)	↑
Aichi	20 (11.6%)	↑	35 (20.3%)	↑	43 (23.5%)	↑
Kyoto	40 (23.4%)	↓	107 (62.6%)	↑	106 (62.0%)	↓
Osaka	575 (42.1%)	↑	690 (50.5%)	↑	739 (53.3%)	↑
Hyogo	22 (15.5%)	↑	49 (34.5%)	↑	53 (37.3%)	↑
Fukuoka	10 (4.9%)	↑	15 (7.3%)	↑	20 (9.7%)	↑
Okinawa	38 (62.3%)	↓	28 (45.9%)	↓	28 (46.7%)	→


\* “Trends in the numbers of inpatients” are based on the “Surveillance of the Status of Care for Patients with the Novel Coronavirus Infection and the Number of Beds,” by the Ministry of Health, Labour and Welfare. In this surveillance, the results as of 0:00 on the presentation date are published.

↑, ↓, and → indicate an increase, a decrease, and the same level, respectively, compared to the previous week.


(1) No. of new cases of infection reported



(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




Nationwide


(4) No. of inpatients/No. of severe patients



(5) Use rate of beds









(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.  
 (Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds



(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021. (Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.  
(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.  
 (Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds




(6) No. of patients receiving treatment




\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022


(1) No. of new cases of infection reported




(2) No. of new cases of infection (per 100,000 of the population)/Percentage of unlinked cases




(3) Test status




(4) No. of inpatients/No. of severe patients



(5) Use rate of beds



(6) No. of patients receiving treatment



\* The numbers per 100,000 of the population were calculated based on the population estimates as of October 1 of each year by the Statistics Bureau of the Ministry of Internal Affairs and Communications up to December 4, 2021, and the National population census in 2020 from December 5, 2021.

(Source) ADB Material, dated February 24, 2022