


Detection of norovirus by prefecture, 2013/14

(Infectious Agents Surveillance Report: Data based on the reports received before August 29, 2014 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




36W
(09/02-09/08)
35 cases



37W
(09/09-09/15)
8 cases




38W
(09/16-09/22)
5 cases




39W
(09/23-09/29)
3 cases


Reports of detection




40W
(09/30-10/06)
7 cases



41W
(10/07-10/13)
4 cases




42W
(10/14-10/20)
8 cases




43W
(10/21-10/27)
12 cases


Reports of detection




44W
(10/28-11/03)
25 cases



45W
(11/04-11/10)
20 cases



46W
(11/11-11/17)
58 cases



47W
(11/18-11/24)
107 cases


Detection of norovirus by prefecture, 2013/14

(Infectious Agents Surveillance Report: Data based on the reports received before August 29, 2014 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection



Reports of detection



Reports of detection




Detection of norovirus by prefecture, 2013/14

(Infectious Agents Surveillance Report: Data based on the reports received before August 29, 2014 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




8W
(02/17-02/23)
62 cases



9W
(02/24-03/02)
52 cases




10W
(03/03-03/09)
44 cases




11W
(03/10-03/16)
68 cases


Reports of detection




12W
(03/17-03/23)
50 cases



13W
(03/24-03/30)
48 cases




14W
(03/31-04/06)
25 cases




15W
(04/07-04/13)
28 cases


Reports of detection




16W
(04/14-04/20)
48 cases



17W
(04/21-04/27)
80 cases



18W
(04/28-05/04)
37 cases



19W
(05/05-05/11)
28 cases


Detection of norovirus by prefecture, 2013/14

(Infectious Agents Surveillance Report: Data based on the reports received before August 29, 2014 from public health institutes)




Infectious Agents Surveillance Report


Reports of detection




20W
(05/12-05/18)
46 cases



21W
(05/19-05/25)
53 cases




22W
(05/26-06/01)
31 cases




23W
(06/02-06/08)
32 cases


Reports of detection




24W
(06/09-06/15)
13 cases



25W
(06/16-06/22)
13 cases




26W
(06/23-06/29)
13 cases



27W
(06/30-07/06)
6 cases

Reports of detection




28W
(07/07-07/13)
1 case



29W
(07/14-07/20)
no case



30W
(07/21-07/27)
no case



31W
(07/28-08/03)
2 cases

Detection of norovirus by prefecture, 2013/14

(Infectious Agents Surveillance Report: Data based on the reports received before August 29, 2014 from public health institutes)




Infectious Agents Surveillance Report

Reports of detection



32W
(08/04-08/10)
no case



33W
(08/11-08/17)
1 case



34W
(08/18-08/24)
no case



35W
(08/25-08/31)
no case