


# Detection of norovirus by prefecture, 2015/16

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2016 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




36W  
(08/31-09/06)  
16 cases



37W  
(09/07-09/13)  
4 cases




38W  
(09/14-09/20)  
13 cases




39W  
(09/21-09/27)  
4 cases


## Reports of detection




40W  
(09/28-10/04)  
20 cases



41W  
(10/05-10/11)  
21 cases




42W  
(10/12-10/18)  
15 cases




43W  
(10/19-10/25)  
47 cases


## Reports of detection




44W  
(10/26-11/01)  
70 cases



45W  
(11/02-11/08)  
75 cases



46W  
(11/09-11/15)  
101 cases



47W  
(11/16-11/22)  
103 cases


# Detection of norovirus by prefecture, 2015/16

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2016 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




48W  
(11/23-11/29)  
74 cases



49W  
(11/30-12/06)  
119 cases




50W  
(12/07-12/13)  
171 cases




51W  
(12/14-12/20)  
162 cases


## Reports of detection




52W  
(12/21-12/27)  
138 cases



53W  
(12/28-01/03)  
24 cases




1W  
(01/04-01/10)  
143 cases




2W  
(01/11-01/17)  
155 cases


## Reports of detection




3W  
(01/18-01/24)  
112 cases



4W  
(01/25-01/31)  
97 cases



5W  
(02/01-02/07)  
100 cases



6W  
(02/08-02/14)  
60 cases


# Detection of norovirus by prefecture, 2015/16

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2016 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection




7W  
(02/15-02/21)  
65 cases



8W  
(02/22-02/28)  
66 cases




9W  
(02/29-03/06)  
83 cases




10W  
(03/07-03/13)  
73 cases


## Reports of detection




11W  
(03/14-03/20)  
33 cases



12W  
(03/21-03/27)  
25 cases




13W  
(03/28-04/03)  
36 cases




14W  
(04/04-04/10)  
21 cases


## Reports of detection




15W  
(04/11-04/17)  
35 cases



16W  
(04/18-04/24)  
42 cases



17W  
(04/25-05/01)  
23 cases



18W  
(05/02-05/08)  
12 cases


# Detection of norovirus by prefecture, 2015/16

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2016 from public health institutes)




Infectious Agents Surveillance Report


## Reports of detection



## Reports of detection



## Reports of detection



# Detection of norovirus by prefecture, 2015/16

(Infectious Agents Surveillance Report: Data based on the reports received before September 2, 2016 from public health institutes)




Infectious Agents Surveillance Report

## Reports of detection



31W  
(08/01-08/07)  
no case



32W  
(08/08-08/14)  
no case



33W  
(08/15-08/21)  
no case



34W  
(08/22-08/28)  
no case

## Reports of detection



35W  
(08/29-09/04)  
no case