

感染症発生動向調査で届け出られた梅毒の概要

Summary of syphilis notifications in Japan

(2025 年 4 月 2 日現在 [as at 2 Apr 2025](#))

(国立健康危機管理研究機構 国立感染症研究所 感染症疫学研究分野・応用疫学研究センター・細菌第一部)

(Division of Infectious Disease Epidemiology Research, Center for Public Health Action in Applied Epidemiology, Department of Bacteriology I, NIID, JIHS)

感染症発生動向調査において、2025 年第 13 週までに診断され届け出られた梅毒の都道府県別、性別・年齢群別、病型別の情報を還元する。


* 2025 年 4 月 2 日までに届出のあった報告数で、第 13 週（2025 年 3 月 24 日～2025 年 3 月 30 日）までに診断されていても遅れて届出のあった報告は含まない。第 1 四半期から第 4 四半期は、以下の週に該当する：

[*Cases diagnosed during week 13 \(24 Mar 2025–30 Mar 2025\) but not yet reported as at 2 Apr 2025 are not included in this report. Quarters 1–4 refer to the following weeks:](#)

第 1 四半期：第 1 週～13 週	Quarter 1: week 1-13
第 2 四半期：第 14 週～26 週	Quarter 2: week 14-26
第 3 四半期：第 27 週～39 週	Quarter 3: week 27-39
第 4 四半期：第 40 週～52 週	Quarter 4: week 40-52

図 1. 都道府県別：人口 100 万当たり届出数、四半期毎*


Fig 1. Syphilis notifications per 1,000,000 population by prefecture, by quarter*



*人口は 2020 年国勢調査を使用 [population based on 2020 national census](#)

图 2. 都道府県別：届出数、四半期毎（届出数上位 10 位を抜粋）

Fig 2. Number of notifications by prefecture, by quarter, for the top 10 prefectures with the highest number of notifications




Prefectures (from left to right): Hokkaido, Saitama, Chiba, Tokyo, Kanagawa, Shizuoka, Aichi, Osaka, Hyogo, Fukuoka

Green: Q1 2024; gray: Q2 2024; yellow: Q3 2024; blue: Q4 2024; red: Q1 2025


图 3. 性别年龄分布：四半期每

Fig 3. Number of notifications by age group (years) and sex, by quarter

男性 Male



女性 Female




Green: Q1 2024; grey: Q2 2024; yellow: Q3 2024; blue: Q4 2024; red: Q1 2025


図 4. 病型の分布：四半期毎

Fig 4. Distribution of notifications by stage and mode of transmission, by quarter


男性同性間 Men who have sex with men



男性異性間 Men who have sex with women



女性異性間 Women who have sex with men




Blue: primary; red: secondary; green: asymptomatic; purple: late


図 5. 2020 年第 1 週から 2025 年第 13 週の届出数、赤線は 13 週移動平均

Fig 5. Number of notifications by week of diagnosis, week 1 of 2020 to week 13 of 2025; red line indicates 13 week moving average


男性同性間 Men who have sex with men



男性異性間 Men who have sex with women



女性 Women



※直近の週は過小評価される傾向があるため、解釈に注意を要する

* Interpretation of trends requires caution as notification counts for the latest weeks are likely underestimated.

Annex

表 1. 都道府県別：届出数、四半期毎

Table 1. Number of syphilis notifications by prefecture, by quarter

届出都道府県 Prefecture	2024 年 第 1 四半期 Q1 2024	2024 年 第 2 四半期 Q2 2024	2024 年 第 3 四半期 Q3 2024	2024 年 第 4 四半期 Q4 2024	2025 年 第 1 四半期 Q1 2025
北海道 Hokkaido	122	119	144	148	148
青森県 Aomori	6	6	6	11	5
岩手県 Iwate	10	17	9	5	6
宮城県 Miyagi	31	54	40	48	37
秋田県 Akita	10	10	10	4	5
山形県 Yamagata	6	10	10	5	12
福島県 Fukushima	31	35	37	32	30
茨城県 Ibaraki	89	73	71	95	67
栃木県 Tochigi	47	48	41	50	44
群馬県 Gunma	32	40	71	58	29
埼玉県 Saitama	107	117	115	138	105
千葉県 Chiba	104	136	105	116	84
東京都 Tokyo	800	1001	988	953	832
神奈川県 Kanagawa	174	203	223	200	163
新潟県 Niigata	34	29	34	43	29
富山県 Toyama	4	11	19	16	9
石川県 Ishikawa	11	26	19	27	17
福井県 Fukui	11	9	13	10	8
山梨県 Yamanashi	8	8	12	13	13
長野県 Nagano	25	27	18	21	20
岐阜県 Gifu	29	35	41	35	50
静岡県 Shizuoka	71	79	92	110	65
愛知県 Aichi	188	206	236	221	192
三重県 Mie	15	33	47	40	28
滋賀県 Shiga	11	23	16	37	11
京都府 Kyoto	33	38	47	38	35
大阪府 Osaka	423	544	514	470	396
兵庫県 Hyogo	98	90	118	113	93
奈良県 Nara	19	22	24	19	15

和歌山県 Wakayama	11	16	11	17	7
鳥取県 Tottori	8	9	15	9	13
島根県 Shimane	4	10	12	9	11
岡山県 Okayama	91	83	90	91	55
広島県 Hiroshima	64	70	76	68	51
山口県 Yamaguchi	21	20	27	23	21
徳島県 Tokushima	11	20	21	15	12
香川県 Kagawa	24	30	22	31	24
愛媛県 Ehime	28	41	41	31	37
高知県 Kochi	8	13	12	12	12
福岡県 Fukuoka	192	195	258	235	197
佐賀県 Saga	20	22	19	22	14
長崎県 Nagasaki	28	30	33	20	15
熊本県 Kumamoto	59	53	63	58	37
大分県 Oita	20	26	34	13	19
宮崎県 Miyazaki	37	43	33	48	27
鹿児島県 Kagoshima	40	31	34	24	22
沖縄県 Okinawa	23	38	31	38	24
総計 Total	3238	3799	3952	3840	3146

表 2. 都道府県別：届出数、2025 年・2024 年それぞれ当該四半期

Table 2. Number of notifications by prefecture (Q1 2025, Q1 2024)

届出都道府県別 Prefecture	2025 年 第 1 四半期 Q1 2025	2024 年 第 1 四半期 Q1 2024	2025 年第 1 四半期 : 2024 年第 1 四半期 Q1 2025: Q1 2024	2025 年第 1 四半期 人口 100 万人当たり * Notifications per 1,000,000 population in Q1 2025*
北海道 Hokkaido	148	122	1.2	28.3
青森県 Aomori	5	6	0.8	4.0
岩手県 Iwate	6	10	0.6	5.0
宮城県 Miyagi	37	31	1.2	16.1
秋田県 Akita	5	10	0.5	5.2
山形県 Yamagata	12	6	2.0	11.2
福島県 Fukushima	30	31	1.0	16.4
茨城県 Ibaraki	67	89	0.8	23.4
栃木県 Tochigi	44	47	0.9	22.8
群馬県 Gunma	29	32	0.9	15.0
埼玉県 Saitama	105	107	1.0	14.3
千葉県 Chiba	84	104	0.8	13.4
東京都 Tokyo	832	800	1.0	59.2
神奈川県 Kanagawa	163	174	0.9	17.6
新潟県 Niigata	29	34	0.9	13.2
富山県 Toyama	9	4	2.3	8.7
石川県 Ishikawa	17	11	1.5	15.0
福井県 Fukui	8	11	0.7	10.4
山梨県 Yamanashi	13	8	1.6	16.0
長野県 Nagano	20	25	0.8	9.8
岐阜県 Gifu	50	29	1.7	25.3
静岡県 Shizuoka	65	71	0.9	17.9
愛知県 Aichi	192	188	1.0	25.5
三重県 Mie	28	15	1.9	15.8
滋賀県 Shiga	11	11	1.0	7.8
京都府 Kyoto	35	33	1.1	13.6

大阪府 Osaka	396	423	0.9	44.8
兵庫県 Hyogo	93	98	0.9	17.0
奈良県 Nara	15	19	0.8	11.3
和歌山県 Wakayama	7	11	0.6	7.6
鳥取県 Tottori	13	8	1.6	23.5
島根県 Shimane	11	4	2.8	16.4
岡山県 Okayama	55	91	0.6	29.1
広島県 Hiroshima	51	64	0.8	18.2
山口県 Yamaguchi	21	21	1.0	15.6
徳島県 Tokushima	12	11	1.1	16.7
香川県 Kagawa	24	24	1.0	25.3
愛媛県 Ehime	37	28	1.3	27.7
高知県 Kochi	12	8	1.5	17.4
福岡県 Fukuoka	197	192	1.0	38.4
佐賀県 Saga	14	20	0.7	17.3
長崎県 Nagasaki	15	28	0.5	11.4
熊本県 Kumamoto	37	59	0.6	21.3
大分県 Oita	19	20	1.0	16.9
宮崎県 Miyazaki	27	37	0.7	25.2
鹿児島県 Kagoshima	22	40	0.6	13.9
沖縄県 Okinawa	24	23	1.0	16.4
総計 Total	3146	3238	1.0	24.9

*人口は 2020 年国勢調査を使用 [population based on 2020 national census](#)

表 3. 性別年齢分布：四半期毎

Table 3. Number of notifications by age group (years) and sex, by quarter

2024 年第 1 四半期 Q1 2024 (n=3238)

年齢 (年)	0	1～ 14	15～ 19	20～ 24	25～ 29	30～ 34	35～ 39	40～ 44	45～ 49	50～ 54	55～ 59	60～
男 M	1	0	31	210	237	228	259	242	250	217	160	217
女 F	7	1	106	425	253	103	69	62	46	52	16	46

2024 年第 2 四半期 Q2 2024 (n=3796)

年齢 (年)	0	1～ 14	15～ 19	20～ 24	25～ 29	30～ 34	35～ 39	40～ 44	45～ 49	50～ 54	55～ 59	60～
男 M	5	0	43	241	315	261	273	290	283	273	177	285
女 F	1	1	108	503	264	128	73	67	64	54	38	49

2024 年第 3 四半期 Q3 2024 (n=3950)

年齢 (年)	0	1～ 14	15～ 19	20～ 24	25～ 29	30～ 34	35～ 39	40～ 44	45～ 49	50～ 54	55～ 59	60～
男 M	4	0	51	259	316	292	291	287	286	254	210	272
女 F	5	2	123	532	281	121	82	72	89	48	25	48

2024 年第 4 四半期 Q4 2024 (n=3839)

年齢 (年)	0	1～ 14	15～ 19	20～ 24	25～ 29	30～ 34	35～ 39	40～ 44	45～ 49	50～ 54	55～ 59	60～
男 M	2	0	51	244	308	271	266	320	310	254	191	264
女 F	5	3	115	490	298	114	93	69	56	41	22	52

2025 年第 1 四半期 Q1 2025 (n=3145)

年齢 (年)	0	1～ 14	15～ 19	20～ 24	25～ 29	30～ 34	35～ 39	40～ 44	45～ 49	50～ 54	55～ 59	60～
男 M	4	0	37	207	269	242	214	250	243	197	159	196
女 F	4	0	101	390	265	124	64	56	31	35	25	32

※年齢等の不明・調査中は本表に含まれないため合計値が一致しないことがある

*As cases with age data that are missing or under investigation are not included, the numbers in the above tables may not add up to the respective total notification counts.

表 4. 病型の分布：四半期毎

Table 4. Number of notifications by stage of syphilis, by quarter

男性：同性間 Men who have sex with men

	2024 年 第 1 四半期 Q1 2024	2024 年 第 2 四半期 Q2 2024	2024 年 第 3 四半期 Q3 2024	2024 年 第 4 四半期 Q4 2024	2025 年 第 1 四半期 Q1 2025
早期顕症 I Primary	76	94	92	107	73
早期顕症 II Secondary	88	128	131	133	115
無症候 Asymptomatic	84	117	98	108	92
晩期顕症 Late	7	2	2	4	4
合計 Total	255	341	323	352	284

男性：異性間 Men who have sex with women

	2024 年 第 1 四半期 Q1 2024	2024 年 第 2 四半期 Q2 2024	2024 年 第 3 四半期 Q3 2024	2024 年 第 4 四半期 Q4 2024	2025 年 第 1 四半期 Q1 2025
早期顕症 I Primary	917	993	1091	1028	867
早期顕症 II Secondary	290	383	428	385	275
無症候 Asymptomatic	182	172	179	181	167
晩期顕症 Late	11	23	10	24	14
合計 Total	1400	1571	1708	1618	1323

女性：異性間 Women who have sex with men

	2024 年 第 1 四半期 Q1 2024	2024 年 第 2 四半期 Q2 2024	2024 年 第 3 四半期 Q3 2024	2024 年 第 4 四半期 Q4 2024	2025 年 第 1 四半期 Q1 2025
早期顕症 I Primary	232	271	297	255	255
早期顕症 II Secondary	397	445	494	457	357
無症候 Asymptomatic	344	375	349	376	318
晩期顕症 Late	4	3	3	9	2
合計 Total	977	1094	1143	1097	932

先天梅毒 Congenital syphilis

	2024 年 第 1 四半期 Q1 2024	2024 年 第 2 四半期 Q2 2024	2024 年 第 3 四半期 Q3 2024	2024 年 第 4 四半期 Q4 2024	2025 年 第 1 四半期 Q1 2025
先天梅毒 Congenital syphilis	8	6	9	7	8

表 5. 直近6か月以内の性風俗産業の従事歴および利用歴：四半期毎

Table 5. Number of notifications by commercial sex work (reporting a history of providing or utilizing commercial sex within 6 months of diagnosis), by quarter

男性 Men

従事歴 Provision	2024 年 第 1 四半期 Q1 2024		2024 年 第 2 四半期 Q2 2024		2024 年 第 3 四半期 Q3 2024		2024 年 第 4 四半期 Q4 2024		2025 年 第 1 四半期 Q1 2025	
	n	%	n	%	n	%	n	%	n	%
あり Yes	42	2	49	2	62	2	56	2	46	2
なし No	1310	64	1499	61	1612	64	1586	64	1266	63
不明 Unknown	434	21	536	22	526	21	503	20	462	23
空欄 Missing	266	13	365	15	324	13	336	14	244	12
利用歴 Utilization	2024 年 第 1 四半期 Q1 2024		2024 年 第 2 四半期 Q2 2024		2024 年 第 3 四半期 Q3 2024		2024 年 第 4 四半期 Q4 2024		2025 年 第 1 四半期 Q1 2025	
	n	%	n	%	n	%	n	%	n	%
あり Yes	885	43	964	39	1063	42	973	39	765	38
なし No	566	28	641	26	676	27	710	29	604	30
不明 Unknown	355	17	521	21	472	19	476	19	423	21
空欄 Missing	246	12	323	13	313	12	322	13	226	11

女性 Women

従事歴 Provision	2024 年 第 1 四半期 Q1 2024		2024 年 第 2 四半期 Q2 2024		2024 年 第 3 四半期 Q3 2024		2024 年 第 4 四半期 Q4 2024		2025 年 第 1 四半期 Q1 2025	
	n	%	n	%	n	%	n	%	n	%
あり Yes	445	38	459	34	508	36	474	35	413	37
なし No	415	35	495	37	495	35	486	36	415	37
不明 Unknown	197	17	239	18	248	17	236	17	192	17
空欄 Missing	129	11	157	12	177	12	162	12	107	9
利用歴 Utilization	2024 年 第 1 四半期 Q1 2024		2024 年 第 2 四半期 Q2 2024		2024 年 第 3 四半期 Q3 2024		2024 年 第 4 四半期 Q4 2024		2025 年 第 1 四半期 Q1 2025	
	n	%	n	%	n	%	n	%	n	%
あり Yes	32	3	48	4	49	3	47	3	38	3
なし No	613	52	653	48	734	51	661	49	608	54
不明 Unknown	360	30	435	32	428	30	443	33	337	30
空欄 Missing	181	15	214	16	217	15	207	15	144	13